1976 ANNUAL INDEXES

Textile Research Journal

Volume 46

AUTHOR AND TITLE INDEX, pp. 925–929 **SUBJECT INDEX, pp. 929–934**

MONTH	PAGES	MONTH	PAGES
January	1–76	July	467–544
February	77–154	August	545–622
March	155–232	September	623–700
April	233–310	October	701–778
May	311–388	November	779–856
June	389–466	December	857–934

AUTHOR AND TITLE INDEX

Amirtharaj, John The Effect of Tension and Twist on the Structure and Dyeability of Textured Polyethylene Terephthalate Yarn (*Gupta*) . . . 785

Andrews, B. A. Kottes Analysis of Agent Migration During Durable-Press Treatments of Knitted Cotton Fabric (*Frick*) 893

Andrews, F. R. Mechanical Properties of Cotton Yarns Mercerized in Liquid Ammonia and Sodium Hydroxide (*Nelson, Hassenboehler, Markezich*) . . . 872

Arthur, Jett C., Jr. Single Dyebath Application of Direct, Acid and Basic Dyes to Cotton-Poly(Glycidyl Methacrylate) Fabrics (*Harris*) . . . 219

Soil-Release and Textile Properties of Cotton/Polyester-Poly (Methacrylic Acid) Copolymer Fabrics (*Mares, Harris*) . . 563

Backer, Stanley On the Stress Analysis of Cylindrically Wound Packages: The Case of a Warp Beam (*Batra, Lee*) . . . 453

Mechanics of Texturing Thermoplastic Yarns. Part I: Experimental Observations of Steady-State Texturing (*Yang*) . . 599

Part II: Experimental Observations of Transient Behavior (*Yang*) . . . 724

Part III: Experimental Observations of Torsional Behavior of the Texturing Threadline for Pre-Drawn PET Yarns (*Brookstein*) . . . 802

Baddi, N. T. Physical Chemistry of Crosslinking. Part I: Thermodynamics of Cellulose in Aqueous Solution of Crosslinking Agents (*Madan, Patel, Mehta*) . . . 329

Part II: Physicochemical Studies on Fabrics Treated with Crosslinking Agents (*Madan, Patel, Patel, Mehta*) . . . 438

Baird, K. Relaxation Shrinkage of Worsted Yarns. Part III: The Dependence of Relaxation Shrinkage in Worsted Yarns on Processing Factors (*Smith*) . . . 104

Banerjee, B. L. Evaluation of the Efficacy of Cationic Surfactants in Improving Spinning Qualities of Jute (*Roy, Bhattacharya*) . . . 298

Barch, F. P. High-Performance, Crimped Rayon Fiber (*Muller, Daul*) . . . 184

Barella, A. The Structure and Properties of Open-End Yarns. Part I: Study of Fiber Configurations and Migrations (*Vigo*) 73

Efficiency of the Cleaning Device of the New BD 200 Rotor in Connection with Yarn Properties (*Vigo*) . . . 149

Barker, Roger L. Optical Measurement of Non-Lint Particles in Various Grades of Cotton (*Lyons*) . . . 135

Basu, A. K. A Study of the Compression Behavior of Jute Fibers (*Mukhopadhyay*) . . . 841

Bateup, B. O. Wettability of Wool Fibers (*Cook, Feldtman, Fleischfresser*) . . . 720

The Effect of Environment on Adhesion of Shrink-Resist Polymers on Wool (*Cook, Feldtman, Fleischfresser*) . . . 796

Batra, Subhash K. On the Stress Analysis of Cylindrically Wound Packages: The Case of a Warp Beam (*Lee, Backer*) 453

Beck, P. J. Thermogravimetric Analysis of Flame-Retardant-Treated Wools (*Gordon, Ingham*) . . . 478

Beevers, R. B. The Properties of Hercosett® + Primal Resin Mixtures Used in Wool Fiber Coating Technology . . . 223

The Swelling of Hercosett® Resin . . . 636

Bell, J. P. Relations Between Dye Diffusion and Fiber Structure in Nylon 6 (*Sweet*) . . . 447

Benerito, R. R. Urea Phosphoric Acid as a Quality-Control Reagent for the Poly-Set Process (*Jung, Berni*) . . . 26

Solvent Finishing of Cotton and Cotton-Polyester Blends. Part II: Emulsions for Durable-Press Treatments (*Berni, Pilkington*) . . . 521

Use of Electron Spectroscopy for Chemical Analyses (ESCA) in a Study of Oil-Repellent Finishes (*Soignet, Connick*) . . 611

Wrinkle Recovery *via* Cellulose-Glycidol Vapor-Phase Reactions (*Ward*) . . . 915

Berni, R. J. Urea Phosphoric Acid as a Quality-Control Reagent for the Poly-Set Process (*Jung, Benerito*) . . . 26

Solvent Finishing of Cotton and Cotton-Polyester Blends. Part II: Emulsions for Durable-Press Treatments (*Benerito, Pilkington*) . . . 521

Characterization of Cotton-Polyester Blends by Electron Spectroscopy (ESCA) (*Soignet, Janssen*) . . . 763

Bertoniere, Noelie R. Improved Durable-Press Cotton *via* Polymeric N-Methylol Reagents (*Rowland*) . . . 311

Some Interactions of Water-Soluble Solutes with Cellulose and Sephadex (*Rowland*) . . . 770

Bhat, N. V. Electron Microscopical Study of Plasma-Etched Polymers (*Padhye, Mittal*) . . . 502

Bhatt, V. R. Crease Recovery of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Gupta*) . . . 356

Bhattacharya, B. N. Evaluation of the Efficacy of Cationic Surfactants in Improving Spinning Qualities of Jute (*Roy, Banerjee*) . . . 298

Blais, P. The Photo-Oxidation of Polypropylene Monofilaments. Part II: Physical Changes and Microstructure (*Carlsson, Clark, Sturgeon, Wiles*) . . . 641

Blanchard, E. J. Moisture-Related Properties of Cotton-Polyester Blend Fabrics (*Harper, Bruno, Gautreaux*) . . . 82

Brody, H. Low-Modulus "Hard" Elastic Materials (*Noether*) . . 467

Brookstein, David Mechanics of Texturing Thermoplastic Yarns. Part III: Experimental Observations of Torsional Behavior of the Texturing Threadline for Pre-Drawn PET Yarns (*Backer*) . . . 802

Broughton, R. The Detection and Analysis of Particulate Contamination of Poly(Ethylene Terephthalate) Filament Yarn 155

Brown, T. D. Shrinkproofing Wool by Means of Polythiols (*Rushforth, Shaw, Dobinson, Massy, Wilson, Winterbottom*) . . . 170

Bruno, J. S. Moisture-Related Properties of Cotton-Polyester Blend Fabrics (*Harper, Blanchard, Gautreaux*) . . . 82

Buchanan, D. R. Physical Properties of Textured Polyester Yarns: The Influence of Texturing Temperatures (*Hardegree*) 828

Butler, R. H. Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VI: Application of Fiber-Yarn-Fabric Analysis (*Prevorsek, Lamb*) . . . 17

Calamari, T. A. Effect of Liquid Ammonia on Cotton's Physical Properties and Yarn Processing (*Graham, Rhodes, Harper*) 158

Carlsson, D. J. Infrared Spectra of Monofilaments (*Clark, Wiles*) 318

The Photo-Oxidation of Polypropylene Monofilaments. Part I: Chemical Changes and Mechanical Deterioration (*Clark, Wiles*) . . . 590

Part II: Physical Changes and Microstructure (*Blais, Clark, Sturgeon, Wiles*) . . . 641

Cashen, Norton A. The Electrostatic Properties of THPOH-NH_3 Flame-Retardant Cotton Fabric as they Pertain to Potential Mill Problems and Performance Properties (*Markezich, Legendre*) . . . 671

Flame-Retardant Coating Based on THPOH-Dimethylolurea-NH_3 for Cellulosic and Cellulosic-Blend Fabrics (*Reinhardt*) 899

Chaikin, M. The Uniformity of Distribution of Moisture in Drying Beds of Loose Fibers. Part II: The Effect of Air Velocity and Perforated Plate Insertion on Rate of Drying (*Young, Nossar*) . . . 347

Chakravarti, K. The Measurement of Carpet Static (*Pontrelli*) 129

Chang, Pei-Tsing Structural Studies in Continuous-Filament Yarns. Part III: Studies with Fiber Friction as a Variable (*Gupta*) . . . 90

Chapman, B. M. The Bending and Recovery of Fabrics Under Conditions of Changing Temperature and Relative Humidity 113
A Simple Device for Assessing Wrinkle Performance of Fabrics by Stress Relaxation in Bending 525
A Shorter Stress-Relaxation Wrinkle Test 697
Theoretical Considerations of Wrinkle Recovery for Blend Fabrics 711
A Theoretical Analysis of the Effect of External Polymers on the Wrinkle Recovery of Fabrics 809
The Relation Between Bending Stress-Relaxation and ASTM Wrinkle Tests Results for Durable-Press Cotton Fabrics 919
Chavan, R. B. The Use of Solvent-Nonsolvent Mixtures for the Purification of Anionic Dyes 435
Cheng, C. C. An Approach to Friction Effects in Twisted Yarns (*White, Duckett*) 496
Cheung, P. S. R. Implications of Monosaccharides in Sticky Cotton Processing (*Roberts, Koenig, Merrill, Perkins*) 374
Cirino, Vidabelle O. Effects of a Poly(Sodium Acrylate) Finish on Moisture-Related Properties of Cotton-Containing Durable-Press Fabrics (*Rowland*) 272
Cislo, Romualda Elastic Properties of Twisted Monofilaments (*Zurek, Kowalska*) 389
Clark, F. R. S. Infrared Spectra of Monofilaments (*Carlsson, Wiles*) 318
The Photo-Oxidation of Polypropylene Monofilaments. Part I: Chemical Changes and Mechanical Deterioration (*Carlsson, Wiles*) 590
Part II: Physical Changes and Microstructure (*Blais, Carlsson, Sturgeon, Wiles*) 641
Conniek, W. J. Use of Electron Spectroscopy for Chemical Analyses (ESCA) in a Study of Oil-Repellent Finishes (*Soignet, Benerito*) 611
Cook, J. R. Wettability of Wool Fibers (*Bateup, Feldtman, Fleischfresser*) 720
The Effect of Environment on Adhesion of Shrink-Resist Polymers on Wool (*Bateup, Feldtman, Fleischfresser*) 796
Cooney, J. D. Control of the Output from a High-Intensity Xenon Arc Lamp (*Wiles*) 342

Danilatos, G. The Internal Dynamic Mechanical Loss in α-Keratin Fibers During Moisture Sorption (*Feughelman*) 845
Daruwalla, E. H. Crosslinking of Cotton Through Graft Copolymerization (*Sharma*) 398
Infrared-Deuteration Study of Cotton Cellulose Swollen in Ethylenediamine Solution (*Lokhande*) 897
Daul, G. C. High-Performance, Crimped Rayon Fiber (*Muller, Barch*) 184
de Bernat, James The Nature of Azo Dye Light Fading in Polyester and the Physical State of the Dye (*Giles*) 673
Denby, E. F. The Deformation of Fabrics During Wrinkling—A Theoretical Approach 667
Dobinson, B. Shrinkproofing Wool by Means of Polythiols (*Brown, Rushforth, Shaw, Massy, Wilson, Winterbottom*) 170
Doğu, İsmail The Fundamentals of Electrostatic Spinning. Part II: The Mechanics of Fiber Transfer in the Electrostatic Zone of an Electrostatic Spinning Machine 676
Drake, G. L., Jr. Concerning the Steam Sterilization of Flame-Retardant All-Cotton Flannelette (*Segal, Morris, Reeves*) 74
The Horizontal Flame-Propagation Rate of Undyed Cotton Fabrics (*Segal*) 238
Duckett, Kermit E. An approach to Friction Effects in Twisted Yarns (*White, Cheng*) 496
Duff, David G. An Examination of the Cause of the Humidity Sensitivity of the Lightfastness of Dyed Materials (*Giles, Haslam*) 51

Eckberg, R. Never-Dried Cotton Fibers. Part V: Density Determination of Nerve-Dried Cotton (*Ingram, Williams*) 508
Part VI: Luster (*Ingram, Williams*) 587
Part VII: Preservation of the Never-Dried State with Ethyl Acrylate and Alkylene Oxides (*Ingram, Williams*) 629
Elbert, D. L. Movement of the Winding Point on Warp-Wound Yarn Packages Using Tilted Rings 752
El-Garf, Samy Abdel Monem Spinning of Fibers from Graft Copolymers of Polyacrylonitrile and Poly(Methyl Acrylate) 77
The Effect of a Method of Dissolution of Graft Copolymer of Polyacrylonitrile and Poly(Methyl Acrylate) on Drawability and Properties of Spun Fibers 767
El-Karadly, E. A. Cotton/Polyester Blends with Improved Dyeability and Physical Performance *via* Gamma Rays (*Nasr, Etman*) 747
Emeric, D. A. Chemical Analysis for Chitin as a Measure of Fungal Infiltration of Cellulosic Materials (*Ernst, Levine*) 616
Ernst, G. Chemical Analysis for Chitin as a Measure of Fungal Infiltration of Cellulosic Materials (*Emeric, Levine*) 616
Etmann, M. H. Cotton/Polyester Blends with Improved Dyeability and Physical Performance *via* Gamma Rays (*Nasr, El-Karadly*) 747
Evans, N. A. Photofading of Rhodamine Dyes. Part IV: Effect of Sulfoxides on the Photostability of Rhodamine Dyes 144
Effect of Photostability of 2-Pyrazoline Fluorescent Whitening Agents on the Rate of Yellowing of Whitened Wool (*Rivett, Waters*) 214

Farwell, Fred W. Mineralogy of the Airborne Dust Collected in a Cotton Card Room (*Hersh, Rochow, Tucker*) 743
Feldtman, H. D. Wettability of Wool Fibers (*Bateup, Cook, Fleischfresser*) 720
The Effect of Environment on Adhesion of Shrink-Resist Polymers on Wool (*Bateup, Cook, Fleischfresser*) 796
Feughelman, M. The Internal Dynamic Mechanical Loss in α-Keratin Fibers During Moisture Sorption (*Danilatos*) 845

Fiori, Louis A. A Comparison of the Carding and Processing Performance of 2.25 with 1.5-Denier Cotton/Polyester Opening-Room Blends (*Simpson*) 284
How Distribution of Fibers in the Drafting Zone Affects Drafting Force and Yarn of Cotton/Polyester Blends (*Louis*) 322
Fleischfresser, B. E. Wettability of Wool Fibers (*Bateup, Cook, Feldtman*) 720
The Effect of Environment on Adhesion of Shrink-Resist Polymers on Wool (*Bateup, Cook, Feldtman*) 796
Fornes, R. E. Inorganic Content of Cotton Dusts, Trash, and Bracts (*Gilbert, Sasser*) 738
Frank, Arlen W. Catalysts for THPOH/Amide Resins 139
The Iodometric Determination of P(III) in Flame Retardants for Cotton. Part II: Application of the Method to Various Thpc/Amide Resins (*Vail*) 705
Part III: Application of the Method to THPOH/Ammonia Resins (*Vail*) 791
Franklin, W. E. Amic Acids and Half Salts of Dicarboxylic Acids as Coreactant Catalysts for Creasable Durable-Press Fabrics (*Madacsi, Rowland*) 393
Frick, J. G., Jr. Comparison of Preshrinkage Treatments for Crosslinked Knitted Cotton and Cotton Blends (*Verburg*) 227
Analysis of Agent Migration During Durable-Press Treatments of Knitted Cotton Fabric (*Andrews*) 893
Friedman, Mendel Flame-Resistant Wool-Cotton and Wool-Cotton-Polyester Blends (*Thorsen*) 70
A Method for Bromine Determination in Wool Fabric by X-Ray Fluorescence Spectroscopy (*Reuter, Secor*) 463

Gargiullo, Margaret The Flammability of Polyester-Cotton Mixtures (*Miller, Martin, Meiser*) 530
Gautreaux, G. A. Moisture-Related Properties of Cotton-Polyester Blend Fabrics (*Harper, Bruno, Blanchard*) 82
Geoghegan, M. C. Static Control Needs for Carpets (*Rivet, Malone*) 367
Gilbert, R. D. Inorganic Content of Cotton Dusts, Trash, and Bracts (*Fornes, Sasser*) 738
Giles, Charles H. An Examination of the Causes of the Humidity Sensitivity of the Lightfastness of Dyed Materials (*Haslam, Duff*) 51
An Examination of the Mechanism of Solvent-Assisted Dyeing by Surface-Tension and Monolayer Measurement (*McIver*) 385
The Nature of Azo Dye Light Fading in Polyester and the Physical State of the Dye (*de Bernat*) 673
Gordon, P. G. Thermogravimetric Analysis of Flame-Retardant-Treated Wools (*Beck, Ingham*) 478
Goswami, B. C. A Comparative Study of Nylon Fiber Fracture (*Hearle*) 55
Grady, P. L. The Twist Structure of Open-End Yarns (*Lord*) 123
Graham, C. O. Effect of Liquid Ammonia on Cotton's Physical Properties and Yarn Processing (*Rhodes, Calamari, Harper*) 158
Gupta, Bhupender S. Structural Studies in Continuous-Filament Yarns. Part II: Studies in Model Circular Yarns 8
Part III: Studies with Fiber Friction as a Variable (*Chang*) 90
A Modified Approach to the Study of Blended Yarn Structures (*Kayaman*) 904
Gupta, K. C. Crease Recovery of Untreated and Resin-Treated Cotton Fabrics (*Mehta, Bhatt*) 356
Gupta, V. B. Latent Crimp in False-Twist-Textured Polyethylene Terephthalate Yarn (*Natarajan*) 417
The Effect of Tension and Twist on the Structure and Dyeability of Textured Polyethylene Terephthalate Yarn (*Amirtharaj*) 785

Hamilton, R. J. Shear Properties of Wool Plain-Knitted Fabrics (*Postle*) 265
Hardegree, G. L. Physical Properties of Textured Polyester Yarns: The Influence of Texturing Temperatures (*Buchanan*) 828
Harper, R. J. Moisture-Related Properties of Cotton-Polyester Blend Fabrics (*Bruno, Blanchard, Gautreaux*) 82
Effects of Liquid Ammonia on Cotton's Physical Properties and Yarn Processing (*Graham, Rhodes, Calamari*) 158
Harris, James A. Single Dyebath Application of Direct, Acid, and Basic Dyes to Cotton—Poly(Glycidyl Methacrylate) Fabrics (*Arthur*) 219
Soil-Release and Textile Properties of Cotton/Polyester-Poly (Methacrylic Acid) Copolymer Fabrics (*Mares, Arthur*) 567
Haslam, Ronald An Examination of the Causes of the Humidity Sensitivity of the Lightfastness of Dyed Materials (*Giles, Duff*) 51
Hassenboehler, C. B., Jr. Liquid-Ammonia and Caustic Mercerization of Cotton Fibers: Changes in Fine Structure and Mechanical Properties (*Rousselle, Nelson, Legendre*) 304
Mechanical Properties of Cotton Yarns Mercerized in Liquid Ammonia and Sodium Hydroxide (*Nelson, Andrews, Markezich*) 872
Haylock, J. C. Studies on the Ozone Fading of Anthraquinone Dyes on Nylon Fibers (*Rush*) 1
Hearle, J. W. S. A Comparative Study of Nylon Fiber Fracture (*Goswami*) 55
Hebeish, A. Free Formaldehyde in Fabrics Treated with N-Methylol Finishing Agents (*Schliefer*) 465
Hebert, J. J. Cotton Fiber Morphology and Textile Performance Properties (*Rowland, Nelson, Welch*) 194
Hersh, S. P. Mineralogy of the Airborne Dust Collected in a Cotton Card Room (*Rochow, Tucker, Farwell*) 743
Holt, L. A. Fluorescent Whitening Agents. Part VIII: The Photochemical Behavior of Coumarin and Stilbene Whiteners in Polymer Films and in Surface-Whitened Wool (*Leaver, Milligan*) 539
Hosokawa, J. Correcting for Twist Inserted in a Rope-Form Fabric (*Miura*) 734

Ingham, P. E. Thermogravimetric Analysis of Flame-Retardant-Treated Wools (*Beck, Gordon*) 478
Ingram, P. Never-Dried Cotton Fibers. Part IV: Shrinkage on Mercerization (*Williams, Sugg*) 434
Part V: Density Determination of Never-Dried Cotton (*Eckberg, Williams*) 508
Part VI: Luster (*Eckberg, Williams*) 587
Part VII: Preservation of the Never-Dried State with Ethyl Acrylate and Alkylene Oxides (*Eckberg, Williams*) 629

Janssen, H. J. Characterization of Cotton-Polyester Blends by Electron Spectroscopy (ESCA) (*Soignet, Berni*) 763
Jung, H. Z. Urea Phosphoric Acid as a Quality-Control Reagent for the Poly-Set Process (*Berni, Benerito*) 26

Kakar, S. K. Thermal Decomposition of Polypyrrolidone in the Solid State 776
Dyes and Pigments from Phosphonitrilic Chloride 848
Kambo, N. S. Some Studies on Tuft Weight Distribution in the Opening Room (*Singh, Salhotra*) 567
Kayaman, M. A Modified Approach to the Study of Blended Yarn Structures (*Gupta*) 904
Keül, P. Physiological Responses and Thermal, Humidity, and Comfort Sensations in Wear Trials with Cotton and Polypropylene Vests (*Vokac, Køpke*) 30
King, Walter D. A Simple Density Method for the Analysis of Fabric Blends of Cotton and a PET Polyester (*Stanonis*) 246
Kissa, Erik Quantitative Determination of Dyes in Textile Fibers. Part IV: Determination of Disperse and Cationic Dyes in Polyester Fibers by Selective Extraction 483
Knox, B. H. The Role of Surfactant Concentration on the Aqueous Stability of a Mono-Azo Disperse Dye (*Weigmann*) 250
Koenig, H. S. Implications of Monosaccharides in Sticky Cotton Processing (*Roberts, Merrill, Cheung, Perkins*) 374
Kokot, S. Migration and Distribution of Crosslinking Reagents in Cellulosic Substrates. Part II: An Interpretation of Cross-Section Photographs of Crosslinked Cotton Fabric Stained with Rhodamine B (*Meyer, Zuercher*) 233
Konopasek, M. A Mechanical Model of Helical Elements in Textured Yarns 278
Køpke, V. Physiological Responses and Thermal, Humidity, and Comfort Sensations in Wear Trials with Cotton and Polypropylene Vests (*Vokac, Keül*) 30
Kowalska, Ewa Elastic Properties of Twisted Monofilaments (*Żurek, Cisło*) 389
Krowicki, R. S. Cotton Fiber Tenacity and Elongation in Rapidly Changing Relative Huridity (*Lawson, Ramey*) . . 715
Kulkarni, V. G. A New Buffer System for the Ion-Exchange Resin Chromatography of Amino Acids (*Whiteley*) 372
Further Studies on the Microfibrils from Wool Keratin. Part I: The Isolation of Microfibrils 833
Part II: The Chemical Composition of the Globular and Dissolved Proteins Isolated During the Separation of Microfibrils from Wool Keratin 870
Kullman, Russell M. H. Catalytic Effects in the Reaction of Methylolamide Crosslinking Agents with Cellulose (*Pierce, Reinhardt*) 420

Lamb, G. E. R. Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VI: Application of Fiber-Yarn-Fabric Analysis (*Prevorsek, Butler*) 17
Lawson, Reba Cotton Fiber Tenacity and Elongation in Rapidly Changing Relative Humidity (*Ramey, Krowicki*) 715
Leaver, I. H. Fluorescent Whitening Agents. Part VIII: The Photochemical Behavior of Coumarin and Stilbene Whiteners in Polymer Films and in Surface-Whitened Wool (*Holt, Milligan*) 539
Lee, Danny S. On the Stress Analysis of Cylindrically Wound Packages: The Case of a Warp Beam (*Batra, Backer*) . . . 453
Lee, Kay Sue Some Low-Angle X-Ray Evidence on the Structural Changes in Thermally- and Plasma-Treated Wool . . 779
Legendre, D. C. Liquid-Ammonia and Caustic Mercerization of Cotton Fibers: Changes in Fine Structure and Mechanical Properties (*Rousselle, Nelson, Hassenboehler*) 304
The Electrostatic Properties of THPOH-NH_3 Flame-Retardant Cotton Fabric as they Pertain to Potential Mill Problems and Performance Properties (*Cashen, Markezich*) 671
Levine, S. Chemical Analysis for Chitin as a Measure of Fungal Infiltration of Cellulosic Materials (*Ernst, Emeric*) . . . 616
Lokhande, H. T. Infrared-Deuteration Study of Cotton Cellulose Swollen in Ethylenediamine Solutions (*Daruwalla*) 897
Lord, P. R. The Twist Structure of Open-End Yarns (*Grady*) 123
Louis, Gain L. How Distribution of Fibers in the Drafting Zone Affects Drafting Force and Yarn of Cotton/Polyester Blends (*Fiori*) 322
Lynch, L. J. An Instrument for the Rapid Automatic Measurement of Fiber Fineness Distribution (*Michie*) 653
Lyons, Donald W. Optical Measurement of Non-Lint Particles in Various Grades of Cotton (*Barker*) 135

Madaesi, J. P. Amic Acids and Half Salts of Dicarboxylic Acids as Coreactant Catalysts for Creasable Durable-Press Fabrics (*Franklin, Rowland*) 393
Madan, G. L. Physical Chemistry of Crosslinking. Part I: Thermodynamics of Cellulose in Aqueous Solution of Crosslinking Agents (*Patel, Baddi, Mehta*) 329
Part II: Physicochemical Studies on Fabrics Treated with Crosslinking Agents (*Patel, Patel, Baddi, Mehta*) 438
Makinson, K. Rachel A Convenient Method for Preparing the Cell-Membrane Network of the Wool Fiber, and a Note on the Effect of Ethanol on the Membranes in the Intact Fiber 360
Clarification of Figure in May, 1976 TRJ 849
Malone, C. P. Static Control Needs for Carpets (*Geoghegan, Rivet*) 367
Mares, Trinidad Soil-Release and Textile Properties of Cotton/Polyester-Poly(Methacrylic Acid) Copolymer Fabrics (*Arthur, Harris*) 563
Markezich, Anthony R. The Electrostatic Properties of THPOH-NH_3 Flame-Retardant Cotton Fabric as they Pertain to Potential Mill Problems and Performance Properties (*Cashen, Legendre*) 671
Mechanical Properties of Cotton Yarns Mercerized in Liquid Ammonia and Sodium Hydroxide (*Nelson, Hassenboehler, Andrews*) 872
Martin, J. Ronald The Flammability of Polyester-Cotton Mixtures (*Miller, Meiser, Gargiullo*) 530
Mason, John S. Flame Retardancy of Cotton *via* a Michael-Type Reaction of Oligomeric Reagents (*Rowland*) 818
Massy, D. J. R. Shrinkproofing Wool by Means of Polythiols (*Brown, Rushforth, Shaw, Dobinson, Wilson, Wintervottom*) 170
McIver, Norman An Examination of the Mechanism of Solvent-Assisted Dyeing by Surface-Tension and Monolayer Measurements (*Gites*) 385
Mehta, H. U. Crease Recovery of Untreated and Resin-Treated Cotton Fabrics (*Gupta, Bhatt*) 356
Mehta, P. C. Physical Chemistry of Crosslinking. Part I: Thermodynamics of Cellulose in Aqueous Solution of Crosslinking Agents (*Madan, Patel, Baddi*) 329
Part II: Physicochemical Studies on Fabrics Treated with Crosslinking Agents (*Madan, Patel, Patel, Baddi*) 438
Meiser, Charles H., Jr. The Flammability of Polyester-Cotton Mixtures (*Miller, Martin, Gargiullo*) 530
Merrill, K. G. Implications of Monosaccharides in Sticky Cotton Processing (*Roberts, Koenig, Cheung, Perkins*) 374
Meyer, U. Migration and Distribution of Crosslinking Reagents in Cellulosic Substrates. Part II: An Interpretation of Cross-Section Phoographs of Crosslinked Cotton Fabric Stained with Rhodamine B (*Kokot, Zuercher*) 233
Comparison of Catalytic Activities and Texile Mechanical Properties Observed in the Crosslinking of Cotton with Highly Active Catalysts (*Müller, Rouette, Zollinger*) . . . 691
The Mechanism of Catalysis in the Crosslinking of Cotton with Formaldehyde (*Müller, Zollinger*) 756
Comparison of Textile Mechanical Properties of Cotton in Crosslinking with DMEU and Formaldehyde (*Müller, Zollinger*) 813
Dependence of Crosslinker Diffusion in Cellulose Membranes on Concentration and Catalyst (*von Wattenwyl, Zollinger*) . . 847
The Temperature Dependence of the Rate of Crosslinking with Formaldehyde and of the Hydrolysis of Cotton Cellulose (*Müller, Zollinger*) 880
Michie, N. A. An Instrument for the Rapid Automatic Measurement of Fiber Fineness Disribution (*Lynch*) 653
Miller, Bernard The Flammability of Polyester-Cotton Mixtures (*Martin, Meiser, Gargiullo*) 530
Milligan, B. Fluorescent Whitening Agents. Part VIII: The Photochemical Behavior of Coumarin and Stilbene Whiteners in Polymer Films and in Surface-Whitened Wool (*Holt, Leaver*) 539
Mittal, P. K. Electron Microscopical Study of Plasma-Etched Polymers (*Padhye, Bhat*) 502
Miura, Y. Correcting for Twist Inserted in a Rope-Form Fabric (*Hosokawa*) 734
Morris, C. E. Concerning the Steam Sterilization of Flame-Retardant All-Cotton Flannelette (*Segal, Drake, Reeves*) . . . 74
A Statistical Study of the Oxygen Index Measurement (*Segal, Smith*) 620
Mousa, A. H. E. Optimization of Rope-Range Bleaching of Cellulosic Fabrics 493
Mukhopadhyay, U. The Effect of Different Wavelengths of the Solar Spectrum on Discoloration of Jute 153
A Study of the Compression Behavior of Jute Fibers (*Basu*) 841
Müller, K. Comparison of Catalytic Activities and Textile Mechanical Properties Observed in the Crosslinking of Cotton with Highly Active Catalysts (*Meyer, Rouette, Zollinger*) 691
The Mechanism of Catalysis in the Crosslinking of Cotton with Formaldehyde (*Meyer, Zollinger*) 756
Comparison of Textile Mechanical Properties of Cotton in Crosslinking with DMEU and Formaldehyde (*Meyer, Zollinger*) 813
The Temperature Dependence of the Rate of Crosslinking with Formaldehyde and of the Hydrolysis of Cotton Cellulose (*Meyer, Zollinger*) 880
Muller, T. E. High-Performance, Crimped Rayon Fiber (*Barch, Daul*) 184

Nasr, H. I. Cotton/Polyester Blends with Improved Dyeability and Physical Performance *via* Gamma Rays (*Etman, El-Karadly*) 747
Natarajan, M. Latent Crimp in False-Twist-Textured Polyethylene Terephthalate Yarn (*Gupta*) 417
Neckář, Bohuslav Internal Mechanics of Twisted Yarn. Part I: Theoretical Model; Part II: Application 545
Needles, Howard L. The Effect of Light on Dyed-Stilbene Fluorescent-Brightened Wool 39
Neelakantan, P. An Attempt to Quantify the Translation of Fiber Bundle Tenacity into Yarn Tenacity (*Subramanian*) 822
Negishi, Takao Measurement of Torsional Rigidity of Fibers (*Okabayashi, Yamazaki, Terada*) 429
Nelson, M. L. Cotton Fiber Morphology and Textile Performance Properties (*Rowland, Welch, Hebert*) 194
Liquid-Ammonia and Caustic Mercerization of Cotton Fibers: Changes in Fine Structure and Mechanical Properties (*Rousselle, Hassenboehler, Legendre*) 304
Reactivity and Fine Structure of Cotton Mercerized in Sodium Hydroxide or Liquid Ammonia (*Rousselle*) 648
Mechanical Properties of Cotton Yarns Mercerized in Liquid Ammonia and Sodium Hydroxide (*Hassenboehler, Andrews, Markezich*) 872
Noether, H. D. Low-Modulus "Hard" Elastic Materials (*Brody*) 467

Nossar, M. S. The Uniformity of Distribution of Moisture in Drying Beds of Loose Fibers. Part II: The Effect of Air Velocity and Perforated Plate Insertion on Rate of Drying (*Young, Chaikin*) 347

Okabayashi, Minoru Measurement of Torsional Rigidity of Fibers (*Yamazaki, Terada, Negishi*) 429
Olds, Walter F. Flame-Retardant Finishes for Cotton Requiring Low Add-On (*Tesoro, Valko*) 152

Padhye, M. R. Electron Microscopical Study of Plasma-Etched Polymers (*Bhat, Mittal*) 152
Patel, R. S. Physical Chemistry of Crosslinking. Part II: Physicochemical Studies on Fabrics Treated with Crosslinking Agents (*Madan, Patel, Baddi, Mehta*) 438
Patel, S. D. Physical Chemistry of Crosslinking. Part I: Thermodynamics of Cellulose in Aqueous Solution of Crosslinking Agents (*Madan, Baddi, Mehta*) 329
Part II: Physicochemical Studies on Fabrics Treated with Crosslinking Agents (*Madan, Patel, Baddi, Mehta*) 438
Paul, N. Geo Relationship of Some Fiber Properties with Yarn-Strength Parameters of Jute 519
Perkins, H. H., Jr. Implications of Monosaccharides in Sticky Cotton Processing (*Kooveris, Koenig, Merrill, Cheung*) . . . 374
Pierce, A. G., Jr. Catalytic Effects in the Reaction of Methylolamide Crosslinking Agents with Cellulose (*Reinhardt, Kullman*) 420
Pilkington, M. W. Solvent Finishing of Cotton and Cotton-Polyester Blends. Part II: Emulsions for Durable-Press Treatments (*Berni, Benerito*) 521
Pillay, K. P. R. Response to letter by A. Barella and J. P. Vigo 75
Pittman, Allen G. Rapid Dyeing and Finishing of Wool in Hot Ethylene Glycol (*Ward, Wasley*) 921
Pontrelli, G. J. The Measurement of Carpet Static (*Chakravarti*) 129
Postle, R. Shear Properties of Wool Plain-Knitted Fabrics (*Hamilton*) 265
Prevorsek, D. C. Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VI: Application of Fiber-Yarn Fabric Analysis (*Lamb, Butler*) 17

Ramey, H. H., Jr. Cotton Fiber Tenacity and Elongation in Rapidly Changing Relative Humidity (*Lawson, Krowicki*) . . 715
Rebenfeld, L. Interactions of Nonaqueous Solvents with Textile Fibers. Part VII: Dyeability of Polyester Yarns After Heat and Solvent-Induced Structural Modifications (*Weigmann, Scott, Kibnick*) 574
Reeves, W. A. Concerning the Steam Sterilization of Flame-Retardant All-Cotton Flannelette (*Segal, Morris, Drake*) . . 74
Reinhardt, Robert M. Catalytic Effects in the Reaction of Methylolamide Crosslinking Agents with Cellulose (*Pierce, Kullman*) 420
Flame-Retardant Coating Based on THPOH-Dimethylolurea-NH_3 for Cellulosic and Cellulosic-Blend Fabrics (*Cashen*) . . 899
Reuter, F. William A Method for Bromine Determination in Wool Fabric by X-Ray Fluorescence Spectrometry (*Secor, Friedman*) 463
Rhodes, P. L. Effect of Liquid Ammonia on Cotton's Physical Properties and Yarn Processing (*Graham, Calamari, Harper*) 158
Ribnick, A. S. Interactions of Nonaqueous Solvents with Textile Fibers. Part VII: Dyeability of Polyester Yarns After Heat and Solvent-Induced Structural Modifications (*Weigmann, Scott, Rebenfeld*) 574
Rivet, E. Static Control Needs for Carpets (*Geoghegan, Malone*) 367
Rivett, D. E. Effect of Photostability of 2-Pyrazoline Fluorescent Whitening Agents on the Rate of Yellowing of Whitened Wool (*Evans, Waters*) 214
Roberts, C. W. Implications of Monosaccharides in Sticky Cotton Processing (*Koenig, Merrill, Cheung, Perkins*) . . . 374
Rochow, T. G. Mineralogy of the Airborn Dust Collected in a Cotton Card Room (*Hersh, Tucker, Farwell*) 743
Ross, I. C. Property Modifications in Fibers of Blends Based on Poly(ethylene Terephthalate) (*Schreiber*) 701
Rouette, H. K. Comparison of Catalytic Activities and Textile Mechanical Properties Observed in the Crosslinking of Cotton with Highly Active Catalysts (*Meyer, Muller, Zollinger*) . . 691
Rousselle, M. A. Liquid-Ammonia and Caustic Mercerization of Cotton Fibers: Changes in Fine Structure and Mechanical Properties (*Nelson, Hassenboehler, Legendre*) 304
Reactivity and Fine Structure of Cotton Mercerized in Sodium Hydroxide or Liquid Ammonia (*Nelson*) 648
Rowland, S. P. Cotton Fiber Morphology and Textile Performance Properties (*Nelson, Welch, Hebert*) 194
Effects of a Poly(Sodium Acrylate) Finish on Moisture-Related Properties of Cotton-Containing Durable-Press Fabrics (*Cirino*) 272
Improved Durable-Press Cotton *via* Polymeric N-Metylol Reagents (*Bertoniere*) 311
Amic Acids and Half Salts of Dicarboxylic Acids as Coreactant Catalysts for Creasable Durable-Press Fabrics (*Franklin, Madacsi*) 393
Some Interactions of Water-Soluble Solutes with Cellulose and Sephadex (*Bertoniere*) 770
Flame Retardancy of Cotton *via* a Michael-Type Reaction of Oligomeric Reagents (*Mason*) 818
Roy, A. Evaluation of the Efficacy of Cationic Surfactants in Improving Spinning Qualities of Jute (*Bhattacharya, Baneriee*) 298
Rush, J. L. Studies on the Ozone Fading of Anthraquinone Dyes on Nylon Fibers (*Haylock*) 1
Rushforth, M. Shrinkproofing Wool by Means of Polythiols (*Brown, Shaw, Dobinson. Massy, Wilson, Winterbottom*) . . 170

Salhotra, K. R. Some Studies on Tuft Weight Distribution in the Opening Room (*Singh, Kambo*) 567
Sasser, Preston Inorganic Content of Cotton Dusts, Trash, and Bracts (*Fornes, Gilbert*) 738
Schlieter, K. Free Formaldehyde in Fabrics Treated with N-Methylol Finishing Agents (*Hebeish*) 465
Schoppee, Meredith M. Geometric Freedom in Bent Yarns and Fabrics (*Skelton*) 44
Frictional Damping in Multicomponent Assemblies (*Skelton*) 661
Schott, Hans Limitations in Studying the Kinetics of Fabric Detergency 459
Schreiber, H. P. Property Modifications in Fibers of Blends Based on Poly(ethylene Terephthalate) (*Ross*) 701
Scott, M. G. Interactions of Nonaqueous Solvents with Textile Fibers. Part VII: Dyeability of Polyester Yarns After Heat and Solvent-Induced Structural Modifications (*Weigmann, Kibnick, Rebenfeld*) 574
Secor, Geraldine E. A Method for Bromine Determination in Wool Fabric by X-Ray Fluorescence Spectrometry (*Reuter, Friedman*) 463
Segal, Leon Concerning the Steam Sterilization of Flame-Retardant All-Cotton Flannelette (*Morris, Drake, Reeves*) . . 74
The Horizontal Flame-Propagation Rate of Undyed Cotton Fabrics (*Drake*) 238
A Statistical Study of the Oxygen Index Measurement (*Morris, Smith*) 620
Shah, C. D. Activation Energies of Light Fading of Dyes in Polymers (*Srinivasan*) 380
Some Studies on Solvent Dyeing of Direct and Reactive Dyes on Cellophane (*Srinivasan*) 857
Sharma, V. N. Crosslinking of Cotton Through Graft Copolymerization (*Daruwalla*) 398
Shaw, T. Shrinkproofing Wool by Means of Polythiols (*Brown, Rushforth, Dobinson, Massy, Wilson, Winterbottom*) 170
Shimalla, Charles J. Thermomechanical Behavior of Nonwovens. Part I: Responses to Changes in Processing and Post-Bonding Variables (*Whitwell*) 405
Part II: A Principal Component Analysis of the Responses to Processing Variables (*Whitwell*) 513
Simpson, Jack A Comparison of the Carding and Processing Performance of 2.25 with 1.5-Denier Cotton/Polyester Opening-Room Blends (*Fiori*) 284
Singh, A. Some Studies on Tuft Weight Distribution in the Opening Room (*Salhotra, Kambo*) 567
Singh, R. K. A Study of Process Mechanics and Yarn Characteristics Using a Fabricated Stuffer-Box Crimper (*Vohra*) 164
Skelton, John Geometric Freedom in Bent Yarns and Fabrics (*Schoppee*) 44
The Influence of Fiber Material and Wetting Medium on Capillary Forces in Wet Fibrous Assemblies 324
Frictional Damping in Multicomponent Assemblies (*Schoppee*) 661
Fundamentals of Fabric Shear 862
Smith, G. J. The Effect of Light at Different Wavelengths on Electron-Spin Resonances in Wool 510
Smith, L. J. Relaxation Shrinkage of Worsted Yarns. Part III: The Dependence of Relaxation Shrinkage in Worsted Yarns on Processing Factors (*Baird*) 104
Smith, Marilyn M. A Statistical Study of the Oxygen Index Measurement (*Segal, Morris*) 620
Soignet, D. M. Use of Electron Spectroscopy for Chemical Analyses (ESCA) in a Study of Oil-Repellent Finishes (*Connick, Benerito*) 611
Characterization of Cotton-Polyester Blends by Electron Spectroscopy (ESCA) (*Berni, Janssen*) 763
Srinivasan, R. Activation Energies of Light Fading of Dyes in Polymers (*Shah*) 380
Some Studies on Solvent Dyeing of Direct and Reactive Dyes on Cellophane (*Shah*) 857
Stanonis, David J. A Simple Density Method for the Analysis of Fabric Blends of Cotton and a PET Polyester (*King*) . . 246
Stephens, S. G. A New Method of Relating Airflow Measurements of Fineness and Maturity to the Geometrical Properties of the Cotton Fiber 835
Stoner, George G. The International System of Units (SI) . . 623
Sturgeon, P. Z. The Photo-Oxidation of Polypropylene Monofilaments. Part II: Physical Changes and Microstructure (*Blais, Carlsson, Clark, Wiles*) 641
Subramanian, T. A. An Attempt to Quantify the Translation of Fiber Bundle Tenacity into Yarn Tenacity (*Neelakantan*) 822
Sugg, H. Never-Dried Cotton Fibers. Part IV: Shrinkage on Mercerization (*Williams, Ingram*) 434
Suh, Moon Won Probabilistic Assessment of Irregularity in Random Fiber Arrays—Effect of Fiber Length Distribution on "Variance-Length Curve" 291
Sweet, G. E. Relations Between Dye Diffusion and Fiber Structure in Nylon 6 (*Bell*) 447

Terada, Koji Measurement of Torsional Rigidity of Fibers (*Okabayashi, Yamazaki, Negishi*) 429
Tesoro, Giuliana C. Flame-Retardant Finishes for Cotton Requiring Low Add-On (*Valko, Olds*) 152
Thorsen, Walter J. Flame-Retardant Wool-Cotton and Wool-Cotton-Polyester Blends (*Friedman*) 70
Flame-Resisting Wool with Halo-Organic Compounds. Part I: Water-Soluble or Emulsifiable Bromine Derivatives Incorporating One or More Reactive Centers 100
Thwaites, J. J. Mechanics of Texturing Thermoplastic Yarns. Part IV: The Origin and Significance of the Torsional Behavior of the False-Twist Threadline 886
Tucker, P. A. Mineralogy of the Airborne Dust Collected in a Cotton Card Room (*Hersh, Rochow, Farwell*) 743

Vail, Sidney L. The Iodometric Determination of P(III) in Flame-Retardants for Cotton. Part II: Application of the Method to Various Thpc/Amide Resins (*Frank*) 705
Part III: Application of the Method to THPOH/Ammonia Resins (*Frank*) 791

Valko, Emery I. (Deceased) Flame-Retardant Finishes for Cotton Requiring Low Add-On (*Tesoro, Olds*) 152
Verburg, G. B. Comparison of Preshrinkage Treatments for Crosslinked Knitted Cotton and Cotton Blends (*Frick*) . . . 227
Vigo, J. P. The Structure and Properties of Open-End Yarns. Part I: Study of Fiber Configurations and Migrations (*Barella*) 73
Efficiency of the Cleaning Device of the New BD200 Rotor in Connection with Yarn Properties (*Barella*) 149
Vigo, Tyrone L. Polysulfide Crosslinked Cotton by Reaction of Chlorodeoxycellulose with Ehylenediamine Hydrosulfide . . 261
Vohra, J. N. A Study of Process Mechanics and Yarn Characteristics Using a Fabricated Stuffer-Box Crimper (*Singh*) 164
Vokac, Z. Physiological Responses and Thermal Humidity, and Comfort Sensations in Wear Trials with Cotton and Polypropylene Vests (*Kopke, Keul*) 30
von Wattenwyl, A. Dependence of Crosslinker Diffusion in Cellulose Membranes on Concentration and Catalyst (*Meyer, Zollinger*) 847

Warburton, C. E., Jr. Crockfastness of Polyacrylate and Nitrile Rubber Pigment-Printing Binders **444**
Ward, A. L. Wrinkle Recovery *via* Cellulose-Glycidol Vapor-Phase Reactions (*Demerlis*) 915
Ward, Wilfred H. Rapid Dyeing and Finishing of Wool in Hot Ethylene Glycol (*Fuzman, Wasley*) 921
Wasley, William L. Rapid Dyeing and Finishing of Wool in Hot Ethylene Glycol (*Fuzman, Ward*) 921
Waters, P. J. Effect of Photostability of 2-Pyrazoline Fluorescent Whitening Agents on the Rate of Yellowing of Whitened Wool (*Evans, Atwell*) 214
Weigmann, H.-D. The Role of Surfactant Concentration on the Aqueous Stability of a Mono-Azo Disperse Dye (*Knox*) . . 250
Interactions of Nonaqueous Solvents with Textile Fibers. Part Part VII: Dyeability of Polyester Yarns After Heat and Solvent-Induced Structural Modifications *Scott, Ribnick, Rebenfeld*) 574
Welch, C. M. Cotton Fiber Morphology and Textile Performance Properties (*Rowland, Nelson, Hevert*) 194
White, James L. An Approach to Friction Effects in Twisted Yarns (*Cheng, Duckett*) 496
Whiteley, K. J. A New Buffer System for the Ion-Exchange Resin Chromatography of Amino Acids (*Kulkarni*) 372
Whitwell, John C. Thermomechanical Behavior of Nonwovens. Part I: Responses to Changes in Processing and Post-Bonding Variables (*Shimalla*) 405
Part II: A Principal Component Analysis of the Responses to Processing Variables (*Shimalla*) 513

Wiles, D. M. Infrared Spectra of Monfilaments (*Carlsson, Clark*) 318
Control of the Output from a High-Intensity Xenon Arc Lamp (*Cooney*) 342
The Photo-Oxidation of Polypropylene Monofilaments. Part I: Chemical Changes and Mechanical Deterioration (*Carlsson, Clark*) 590
Part II: Physical Changes and Microstructure (*Blais, Carlsson, Clark, Sturgeon*) 641
Williams, J. L. Never-Dried Cotton Fibers. Part IV: Shrinkage on Mercerization (*Sugg, Ingram*) 434
Part V: Density Determination of Never-Dried Cotton (*Eckberg, Ingram*) 508
Part VI: Luster (*Ingram, Eckberg*) 587
Part VII: Preservation of the Never-Dried State with Ethyl Acrylate and Alkylene Oxides (*Eckberg, Ingram*) 629
Wilson, W. Shrinkproofing Wool by Means of Polythiols (*Brown, Rushforth, Shaw, Dobinson, Massy, Winterbotton*) 170
Winterbottom, K. Shrinkproofing Wool by Means of Polythiols (*Brown, Rushforth, Shaw, Dobinson, Massy, Wilson*) . . . 170
Work, Robert W. The Force-Elongation Behavior of Web Fibers and Silks Forcibly Obtained from Orb-Web-Spinning Spiders 485

Yamazaki, Chikayasu Measurement of Torsional Rigidity of Fibers (*Okabayashi, Terada, Negishi*) 429
Yang, Wen-Long Mechanics of Texturing Thermoplastic Yarns. Part I: Experimental Observations of Steady-State Texturing (*Backer*) 599
Part II: Experimenal Observations of Transient Behavior (*Backer*) 724
Young, M. D. The Uniformity of Distribution of Moisture in Drying Beds of Loose Fibers. Part II: The Effect of Air Velocity and Perforated Plate Insertion on Rate of Drying (*Nossar, Chaikin*) 347

Zollinger, H. Comparison of Catalytic Activities and Textile Mechanical Properies Observed in the Crosslinking of Cotton with Highly Acuve Catalysts (*Meyer, Muller, Rouette*) . . 691
The Mechanism of Catalysis in the Crosslinking of Cotton with Formaldehyde (*Meyer, Müller*) 756
Comparison of Textile Mechanical Properties of Cotton in Crosslinking with DMEU and Formaldehyde (*Meyer, Müller*) 813
Dependence of Crosslinker Diffusion in Cellulose Membranes on Concentration and Catalyst (*Meyer, von Wattenwyl*) 847
The Temperature Dependence of the Rate of Crosslinking with Formaldehyde and of the Hydrolysis of Cotton Cellulose (*Meyer, Müller*) 880
Zuercher, J. Migration and Distribution of Crosslinking Reagents in Cellulosic Substrates. Part II: An Interpretation of Cross-Section Photographs of Crosslinked Cotton Fabric Stained with Rhodamine B (*Kokot, Meyer*) 233
Zurek, Witold Elastic Properties of Twisted Monofilaments (*Cislo, Kowalska*) 389

SUBJECT INDEX

Activation Energies
of light fading: of dyes in polymers *Shah, Srinivasan* . . 380
Adhesion
effect of environment on: of shrink-resist polymers on wool *Bateup, Cook, Feldtman, Fleischfresser* 796
Agent Migration
analysis of: during durable-press treatments of knitted cotton fabric *Andrews, Frick* 893
Airflow Measurements
of fineness and maturity: new method relating to geometrical properties of cotton fiber *Stephens* 835
Ammonia, Liquid
effect of on physical properties and yarn processing of cotton: *Graham, Rhodes, Calamari, Harper* 158
Anthraquinone Dyes
ozone fading of: on nylon fibers *Haylock, Rush* 1
Azo Dye Light Fading
nature of: in polyester, and the physical state of the dye *Giles, deBernat* 673

Bending
and recovery of fabrics: under conditions of changing temperature and RH *Chapman* 113
in yarns and fabrics: geometric freedom found from analysis of waveform model *Skelton, Schoppee* 44
Bending Stress-Relaxation
relation between and ASTM wrinkle test results: for durable-press cotton fabrics *Chapman* 919
Binders
polyacrylate and nitrile rubber pigment-printing: crockfastness of *Warburton* 444
Bleaching
rope-range: optimization of for cellulosic fabrics *Mousa* . . 493
Blend Fabrics
wrinkle recovery for: theoretical considerations of *Chapman* 711
Blended Yarn Structures
modified approach to study of: using fiber helix migration and preferential radial migration *Gupta, Kayaman* 904
Blends
content analysis of fabric blends: a simple density method: cotton and a PET polyester *Stanonis, King* 246
cotton-polyester: characterization of by ESCA *Soignet, Berni, Janssen* 763
moisture-related properties of fabrics *Harper, Bruno, Blanchard, Gautreaux* 82
with improved dyeability and physical performance *via* gamma rays *Nasr, Etman, El-Karadly* 747
cotton polyester opening-room blends: comparison of carding and processing performance of 2.25 with 1.5-den fibers *Simpson, Fiori* 284
cotton/polyester-poly (methacrylic acid) copolymer fabrics: soil-release and textile properties of *Mares, Arthur, Harris* 563
flame-resistant: wool-cotton and wool-cotton-polyester *Friedman, Thorsen* 70
PET: property modification in fibers of *Schreiber, Ross* . . . 701
Bromine Determination
in wool fabric: method using x-ray fluorescence spectrometry *Reuter, Secor, Friedman* 463

Capillary Forces
in wet fibrous assemblies: influence of fiber material and wetting medium on *Skelton* 324
Carding and Processing Performance
comparison of 2.25- with 1.5-den cotton/polyester opening-room blends: *Simpson, Fiori* 284
Carpets
measurement of static: *Chakravarti, Pontrelli* 129
static control needs for: extensive subjective tests described *Geoghegan, Rivet, Malone* 367
Catalysis
coreactant: amic acids and half salts of dicarboxylic acids used for creasable durable-press fabrics *Franklin, Madacsi, Rowland* 393
effects of: in reaction of methylolamide crosslinking agents with cellulose *Pierce, Reinhardt, Kullman* 420
mechanism of: in crosslinking cotton with formaldehyde *Meyer, Müller, Zollinger* 756
Catalysts
for THPOH/amide resins: *Frank* 139

Catalytic Activities
comparison of: and textile mechanical properties observed in crosslinking cotton with highly active catalysts *Meyer, Müller, Rouette, Zollinger* 691
Cellophane
solvent dyeing on: with direct and reactive dyes *Shah, Srinivasan* 857
Cellulose
methylolamide crosslinking agents with: catalytic effects in reaction of *Pierce, Reinhardt, Kullman* 420
some interactions of: water-soluble solutes with cellulose and Sephadex *Rowland, Bertoniere* 770
thermodynamics of: in aqueous solution of crosslinking agents *Madan, Patel, Baddi, Mehta* 329
Cellulose Membranes
crosslinker diffusion in: dependence of on concentration and catalyst *Meyer, von Wattenwyl, Zollinger* 847
Cellulosic Fabrics
rope-range bleaching of: optimization of *Mousa* 493
Cellulosic Substrates
migration and distribution of crosslinking reagents in: interpretation of cross-section photographs *Kokot, Meyer, Zuercher* 233
Cellulosics
and cellulosic-blend fabrics: flame-retardant coating for, based on THPOH-Dimethylolurea-NH_3 *Cashen, Reinhardt* 899
fungal infiltration of: measured by chemical analysis for chitin *Ernst, Emeric, Levine* 616
Chromatography
ion-exchange resin: of amino acids—a new buffer system for *Kulkarni, Whitelcy* 372
Clothing
comfort: physiological responses and thermal, humidity, and comfort sensations in wear trials *Vokac, Køpke, Keul* . . . 30
Compression Behavior
of jute fibers: study of *Basu, Mukhopadhyay* 841
Continuous-Filament Yarns
structural studies in: Part II: studies in model circular yarns: fiber migration; tension-based buckling mechanism *Gupta* 8
Part III: studies with fiber friction as a variable *Gupta, Chang* 90
Cotton
crosslinked with formaldehyde: mechanism of catalysis in process *Meyer, Müller, Zollinger* 756
durable-press: improved *via* polymeric *n*-methylol reagents *Bertoniere, Rowland* 311
flame-retardancy of: *via* a Michael-type reaction of oligomeric reagents *Rowland, Mason* 818
flame-retardant finishes for: requiring low add-on *Tesoro, Valko, Olds* 152
flame-retardants for: iodometric determination of P(III) in: Part II: application of the method to various Thpc/amide resins *Frank, Vail* 705
Part III: application of the method to THPOH/ammonia resins *Frank, Vail* 791
non-lint particles in various grades: optical measurement of *Lyons, Barker* 135
physical properties and yarn processing: effect of liquid ammonia on *Graham, Rhodes, Calamari, Harper* 158
preshrinkage treatments: comparison of for crosslinked knitted cotton and cotton blends *Frick, Verburg* 227
textile mechanical properties compared: in crosslinking with DMEU and formaldehyde *Meyer, Müller, Zollinger* 813
Cotton Blends
preshrinkage treatments: comparison of for crosslinked knitted cotton and cotton blends *Frick, Verburg* 227
Cotton Cellulose
hydrolysis of: temperature dependence of; and of rate of crosslinking with formaldehyde *Meyer, Müller, Zollinger* 880
infrared-deuteration study of: swollen in ethylenediamine solutions *Lokhande, Daruwalla* 897
Cotton, Chemically Treated
by graft copolymerizing with glycidyl methacrylate: then fabrics given single dyebath applications of direct, acid, and basic dyes *Harris, Arthur* 219
cotton-containing durable-press fabrics: effects of a poly-(sodium acrylate) finish on moisture-related properties of *Cirino, Rowland* 272
crosslinked with highly-active catalysts: comparison of catalytic activities and textile mechanical properties *Meyer, Müller, Rouette, Zollinger* 691
effect of liquid ammonia: on physical properties and yarn processing *Graham, Rhodes, Calamari, Harper* 158
liquid-ammonia and caustic mercerization of fibers: changes in fine structure and mechanical properties *Rousselle, Nelson, Hassenboehler, Legendre* 304
reactivity and fine structure: of cotton mercerized in NaOH or liquid NH_3 *Rousselle, Nelson* 648
wrinkle recovery of: *via* cellulose-glycidol vapor-phase reactions *Ward, Benerito* 915
Cotton Dust
mineralogy of airborne: collected in card room *Hersh, Rockow, Tucker, Farwell* 743
trash, and bracts: inorganic content of *Fornes, Gilbert, Sasser* 738
Cotton Fabric
crosslinked, stained with Rhodamine B: interpretation of cross-section photographs to investigate migration and distribution of reagents *Kokot, Meyer, Zuercher* 233
flame-retardant: electrostatic properties of THPOH-NH_3-treated fabrics *Cashen, Markezich, Legendre* 671
Cotton Fabrics
and cotton-polyester blends: solvent finishing of *Berni, Benerito, Pilkington* 521
cotton-poly(glycidyl methacrylate) fabrics: single dye-bath application of direct, acid, and basic dyes to *Harris, Arthur* 219
crease recovery of: untreated and resin-treated *Mehta, Gupta, Bhatt* 356
crosslinking of: through graft copolymerization *Sharma, Daruwalla* 398
durable-press cotton/polyester: effects of a poly(sodium acrylate) finish on moisture-related properties of *Cirino, Rowland* 272
polysulfide crosslinked: by reaction of chlorodeoxycellulose with ethylenediamine hydrosulfide *Vigo* 261
undyed: horizontal flame-propagation rate of *Segal, Drake* . . 238
Cotton Fabrics, Knitted
durable-press treatments of: analysis of agent migration during *Andrews, Frick* 893
Cotton Fibers
fineness and maturity: new method of relating air flow measurements of to geometrical properties *Stephens* 835
liquid-ammonia and caustic mercerization of: changes in fine structure and mechanical properties *Rousselle, Nelson, Hassenboehler, Legendre* 304
morphology and textile performance properties: a review to clarify interrelationships and delineate approaches to improve chemically-modified fabrics *Rowland, Nelson, Welch, Hebert* 194
never-dried: Part IV: shrinkage on mercerization *Williams, Sugg, Ingram* 434
Part V: density determination *Eckberg, Ingram, Williams* 508
Part VI: luster *Ingram, Eckberg, Williams* 587
Part VII: preservation of the never-dried state with ethyl acrylate and alkyene oxides *Eckberg, Ingram, Williams* 629
pore size, sorption of solutes studied: using interactions of water-soluble solutes of cellulose and Sephadex *Rowland, Bertoniere* 770
tenacity of: and elongation in rapidly changing RH *Lawson, Ramey, Krowicki* 715
Cotton/Polyester Blends
characterization of: by ESCA *Soignet, Berni, Janssen* . . . 763
with improved dyeability: and physiological performance *via* gamma rays *Nasr, Etman, El-Karadly* 747
Cotton-Polyester Mixtures
flammability of: data on differences in behavior of blends and their components *Miller, Martin, Meiser, Gargiullo* 530
Cotton Processing
implications of monosaccharides in: sticky cotton processing *Roberts, Koenig, Merrill, Cheung, Perkins* 374
Cotton Tufts
weight distribution: in the opening room *Singh, Salhotra, Kambo* 567
Cotton Yarns
mechanical properties of: mercerized in liquid ammonia and sodium hydroxide *Nelson, Hassenboehler, Andrews, Markezich* 872
Creasability
in durable-press fabrics: amic acids and half salts of dicarboxylic acids as coreactant catalysts *Franklin, Madacsi, Rowland* 393
Crease Recovery
of untreated and resin-treated cotton fabrics: *Mehta, Gupta, Bhatt* 356
Crimp
high-performance, crimped rayon fiber: *Muller, Barch, Daul* 184
Crimping
using fabricated stuffer-box crimper: study of process mechanics and yarn characteristics *Singh, Vohra* 164
Crimp, Latent
in false-twist-textured PET yarn: effect of tension in winding zone *Gupta, Natarajan* 417
Crockfastness
of polyacrylate and nitrile rubber pigment-printing binders: *Warburton* 444
Crosslinker Diffusion
in cellulosic membranes: dependence of on concentration and catalyst *Meyer, von Wattenwyl, Zollinger* 847
Crosslinking
cotton: polysulfide-crosslinked fabrics by reaction of chloro-deoxycellulose with ethylenediamine hydrosulfide *Vigo* . . . 261
through graft copolymerization *Sharma, Daruwalla* 398
cotton with formaldehyde: mechanism of catalysis in *Meyer, Müller, Zollinger* 756
for improved durable-press cotton: *via* polymeric *n*-methylol reagents *Bertoniere, Rowland* 311
methylolamide agents with cellulose: catalytic effects in reaction of *Pierce, Reinhardt, Kullman* 420
physical chemistry of: Part I: thermodynamics of cellulose in aqueous solution of crosslinking agents *Madan, Patel, Baddi, Mehta* 329
Part II: physicochemical studies on fabrics *Madan, Patel, Patel, Baddi, Mehta* 438
rate of: temperature dependence of, with formaldehyde and of hydrolysis of cotton cellulose *Meyer, Müller, Zollinger* . . 880
with DMEU and formaldehyde: comparison of textile mechanical properties of cotton in *Meyer, Müller, Zollinger* 813
Crosslinking Reagents
migration and distribution of: in cellulosic substrates *Kokot, Meyer, Zuercher* 233

Damping, Frictional
in multicomponent assemblies: *Skelton, Schoppee* 661

Deformation
of fabrics: during wrinkling—theory *Denby* 667
Density Method
for analysis of fabric blends: of cotton and a PET polyester *Stanonis, King* 246
Detergency
of fabrics: limitations in studying kinetics of *Schott* 459
Drafting Force
roving drafting force: related to fiber compactness between two drafting aprons *Louis, Fiori* 322
Drying
uniformity of distribution of moisture: in drying beds of loose fibers; effect of air velocity and perforated plate insertion on rate of drying *Young, Nossar, Chaikin* 347
Durable Press
cotton: improved *via* polymeric *n*-methylol reagents *Bertoniere, Rowland* 311
Durable-Press Cotton Fabrics
bending-stress relaxation: relation between and ASTM wrinkle test results *Chapman* 919
Durable-Press Fabrics
coreactant catalyst for: amic acids and half salts of dicarboxylic acids *Franklin, Madacsi, Rowland* 393
Durable-Press Treatments
agent migration during: of knitted cotton fabric *Andrews, Frick* 893
emulsions for: solvent finishing of cotton and cotton-polyester blends *Berni, Benerito, Pilkington* 521
Dust, Cotton
trash, and bracts: inorganic content of *Fornes, Gilbert, Sasser* 738
Dyeability
of cotton/polyester blends: improved *via* gamma rays *Nasr, Etman, El-Karadly* 747
of polyester yarns: after heat and solvent-induced structural modifications *Weigmann, Scott, Ribnick, Rebenfeld* 574
of textured PET yarn: effect of tension and twist on *Gupta, Amirtharaj* 785
Dye Diffusion
and fiber structure: relations between in Nylon 6 *Sweet, Bell* 447
Dyed Materials
lightfastness of: examination of cause of humidity sensitivity of *Giles, Haslam, Duff* 51
Dyed-Stilbene
fluorescent-brightened wool: effect of light on *Needles* . . 39
Dyeing
solvent-assisted: an examination of the mechanism of by surface-tension and monolayer measurements *Giles, McIver* 385
Dyeing, Rapid
and finishing of wool: in hot ethylene glycol *Pittman, Ward, Wasley* 921
Dyeing, Solvent
of direct and reactive dyes: on cellophane *Shah, Srinivasan* 857
Dyes
direct, acid, and basic: single dyebath application of to cotton-poly(glycidyl methacrylate) fabrics *Harris, Arthur* 219
light fading of: in polymers; activation energies of *Shah, Srinivasan* 380
mono-azo disperse: role of surfactant concentration on aqueous stability of *Knox, Weigmann* 250
quantitative determination of in textile fibers: disperse and cationic dyes in polyester by selective extraction *Kissa* 483
Rhodamine: photofading of: Part IV: effect of sulfoxides on photostability of Rhodamine dyes *Evans* 144
Dyes and Pigments
from phosphonitrilic chloride: *Kakar* 848
Dyes, Anionic
purification of: use of solvent-nonsolvent mixtures for *Chavan* 435
Dyes, Anthraquinone
ozone fading of: on nylon fibers *Haylock, Rush* 1
Dyes, Azo
light fading: nature of in polyester, and physical state of the dye *Giles, de Bernat* 673

Elastic Materials
low-modulus "hard": preparation and evaluation of *Noether, Brody* 467
Elastic Properties
of twisted monofilaments: *Żurek, Cisło, Kowalska* 389
Electron Microscopy
in study of plasma-etched polymers: PET filaments and nylon 66 film *Padhye, Bhat, Mittal* 502
Electron Spectroscopy
for chemical analyses (ESCA): use of in study of oil-repellent finishes *Soignet, Connick, Benerito* 611
used to characterize cotton-polyester blends: *Soignet, Berni, Janssen* 763
Electron Spin Resonance
in wool: effect of light at different wavelengths on *Smith* . . 510
Electrostatic Properties
of THPOH-NH_3 flame-retardant cotton fabric: as they pertain to potential mill problems and performance properties *Cashen, Markezich, Legendre* 671
Electrostatic Spinning
fundamentals of: Part II: mechanics of fiber transfer in electrostatic zones of spinning machine *Dogü* 676
Environmental Effects
on adhesion: of shrink-resist polymers on wool *Bateup, Cook, Feldtman, Fleischfresser* 796

Fabric
rope-form: correcting for twist inserted in *Miura, Hosokawa* 734
Fabric Deformation
during wrinkling: a theoretical approach *Denby* 667
Fabric Shear
fundamental of: *Skelton* 862
Fabrics
bending and recovery of: under conditions of changing temperature and RH *Chapman* 113
blend: theoretical considerations of wrinkle recovery for *Chapman* 711
cellulosic: optimization of rope-range bleaching of *Mousa* . . 493
cellulosic and cellulosic-blend: flame-retardant coating for, based on THPOH-dimethylolurea-HN_3 *Cashen, Reinhardt* 899
cotton-polyester blend: moisture-related properties of *Harper, Bruno, Blanchard, Gautreaux* 82
detergency of: limitations in studying kinetics of *Schott* . . 459
treated with crosslinking agents: physicochemical studies on *Madan, Patel, Patel, Baddi, Mehta* 438
wrinkle performance of: a simple device for assessing by stress relaxation in bending *Chapman* 525
wrinkle recovery of: theoretical analysis of effect of external polymers on *Chapman* 809
wrinkling behavior of: influence of fiber properties on. Part VI: application of fiber-yarn-fabric analysis *Prevorsek, Lamb, Butler* 17
False-Twist Texturing
in PET yarn: latent crimp in *Gupta, Natarajan* 417
Fiber Bundle Tenacity
attempt to quantify translation of: into yarn tenacity *Neelakantan, Subramanian* 822
Fiber Content
determination of: in fabrics made from cotton and polyester: a simple density method *Stanonis, King* 246
Fiber Fineness, Cotton
and maturity: new method of relating airflow measurements of to geometrical properties *Stephens* 835
Fiber Fineness Distribution
rapid automatic measurement: an instrument for *Lynch, Michie* 653
Fiber Fractures
nylon: comparative study of *Goswami, Hearle* 55
Fiber Properties
relationship of with yarn-strength parameters: of jute *Paul* 519
Fibers
compactness of: related to roving drafting force between two drafting aprons *Louis, Fiori* 322
cotton: morphology and physical performance properties reviewed *Rowland, Nelson, Welch, Hebert* 194
never-dried: Part V: density determination of *Eckberg, Ingram, Williams* 508
Part VI: luster *Ingram, Eckberg, Williams* 587
Part VII: preservation of the never-dried state with ethyl acrylate and alkylene oxides *Eckberg, Ingram, Williams* . . 629
cotton/polyester opening-room blends: comparison of carding and processing performance of 2.25- with 1.5-den *Simpson, Fiori* 284
"hard" elastic: preparation and evaluation of, modified so low initial moduli become available *Noether, Brody* 467
high-performance, crimped rayon: *Muller, Barch, Daul* 184
irregularity in random fiber arrays: probabilistic assessment of; effect of fiber length distribution on "variance-length curve" *Suh* 291
of PET blends: property modifications in *Schreiber, Ross* 701
PET and nylon 66 film: plasma-etched, electron microscopical study of *Padhye, Bhat, Mittal* 502
properties of: influence of on wrinkling behavior of fabrics. Part VI: application of fiber-yarn-fabric analysis *Prevorsek, Lamb, Butler* 17
spinning of: from graft copolymers of PAN and poly(methyl acrylate) *El Garf* 77
torsional rigidity of: measurement of *Okabayashi, Yamazaki, Terada, Negishi* 429
wool: convenient method for preparing cell-membrane network *Makinson* . . . . . 360 and 849
Fibers, Web
and sliks: forcibly obtained form orb-web-spinning spiders: force-elongation behavior of *Work* 485
Finishing Agents
***n*-methylol:** formaldehyde in fabrics treated with *Hebeish, Schliefer* 465
Finishing, Wool
and rapid dyeing: in hot ethylene glycol *Pittman, Ward, Wasley* 921
Flame-Propagation Rate
horizontal: of undyed cotton fabrics *Segal, Drake* 238
Flame Resistance
of wool: with halo-organic compounds *Thorsen* 100
wool-cotton and wool-cotton-polyester blends: imparted by water-soluble oligomeric vinyl phosphonate ester *Friedman, Thorsen* 70
Flame Retardance
effect of steam sterilization on: all-cotton flannelette in hospital autoclave *Segal, Morris, Drake, Reeves* 74
finishes of cotton: requiring low add-on *Tesoro, Valko, Olds* 152
in cotton: catalysts for THPOH/amide resins *Frank* 139
Flame Retardancy
of cotton: *via* a Michael-type reaction of oligomeric reagents *Rowland, Mason* 818
Flame-Retardant Coating
based on THPOH-dimethylolurea-NH_3: for cellulosic and cellulosic-blend fabrics *Cashen, Reinhardt* 899
Flame-Retardant Cotton Fabric
THPOH-NH_3-treated: electrostatic properties of *Cashen, Markezich, Legendre* 671

Flame-Retardant-Treated Wools
TGA of: *Beck, Gordon, Ingham* 478
Flame Retardants
for cotton: iodometric determination of P(III) in. Part II: application of method to various Thpc/amide resins *Frank, Vail* 705
Part III: application of method to THPOH/ammonia resins *Frank, Vail* 791
Flammability
of polyester-cotton mixtures: quantitative data show behavior of blends differs from that of components *Miller, Martin, Meiser, Gargiullo* 530
Fluorescent-Brightened Wool
effect of light on: dyed-stilbene fluorescent-brightened wool *Needles* 39
Fluorescent Whitening Agents
Part VIII: photochemical behavior of Coumarin and Stilbene whiteners *Holt, Leaver, Milligan* 539
Force-Elongation Behavior
of web fibers and silks: forcibly obtained from orb-web-spinning spiders *Work* 485
Formaldehyde, Free
in fabrics: treated with N-methylol finishing agents *Hebeish, Schliefer* 465
Fracture, Fiber
nylon: comparative study of *Goswami, Hearle* 55
Friction Effects
in twisted yarns: an approach to *White, Cheng, Duckett* 496
Friction, Fiber
as a variable: in structural studies in continuous-filament yarns *Gupta, Chang* 90
Frictional Damping
in multicomponent assemblies: variation of loss coefficient with stress and strain amplitude derived *Skelton, Schoppee* 661
Fungal Infiltration of Cellulose
measured: by chemical analysis for chitin *Ernst, Emeric, Levine* 616

Gamma Radiation
grafting: to improve dyeability and physical performance of cotton/polyester blends *Nasr, Etman, El-Karadly* 747
Geometric Freedom
in bent yarns and fabrics: from analysis of simple wave form model of fabric crimp *Skelton, Schoppee* 44
Graft Copolymerization
for crosslinking cotton: *Sharma, Daruwalla* 398
Graft Copolymers
of PAN and PMA: for spinning of fibers *El Garf* 77
effect of method of dissolution of, on drawability and properties of spun fibers *El Garf* 767

Hairiness
characteristics of conventional and open-end yarns: *Barella, Vigo* 73
Humidity Sensitivity
examination of cause of: of lightfastness of dyed materials *Giles, Haslam, Duff* 51
Hydrolysis
of cotton cellulose: temperature dependence of, and of rate of crosslinking with formaldehyde *Meyer, Müller, Zollinger* 880

Infrared-Deuteration Study
of cotton cellulose: swollen in ethylenediamine solutions *Lokhande, Daruwalla* 897
Infrared Spectra
of monofilaments: nondestructive methods described *Carlsson, Clark, Wiles* 318
Instrumentation
for measuring shear properties: of wool plain-knitted fabrics *Hamilton, Postle* 265
Iodometric Determination
of P(III): in flame retardants for cotton. Part II: application of method to various Thpc/amide resins *Frank, Vail* 705
Part III: application of method to THPOH/ammonia resins *Frank, Vail* 791
Ion-Exchange Resin Chromatography
a new buffer system for: of amino acids *Kulkarni, Whiteley* 372

Jute
discoloration of: effect of different wavelengths of solar spectrum on *Mukhopadhyay* 153
fiber properties: relationship with yarn-strength parameters *Paul* 519
spinning qualities in: evaluation of efficacy of cationic surfactants in improving *Roy, Bhattacharya, Banerjee* . . 298
Jute Fibers
compresison behavior of: study of *Basu, Mukhopadhyay* 841

Keratin
α-keratin fibers: internal dynamic mechanical loss in during moisture sorption *Danilatos, Feughelman* 845

Light
effect of at different wavelengths: on ESR in wool *Smith* 510
Light Fading
azo dye: nature of in polyester, and physical state of the dye *Giles, de Bernat* 673
of dyes in polymers: activation energies of *Shah, Srinivasan* 380
Lightfastness
of dyed materials: examination of cause of humidity sensitivity of *Giles, Haslam, Duff* 51
Light Phenomena
jute discoloration: effect of different wavelengths of solar spectrum on *Mukhopdhyay* 153
Luster
of never-dried cotton fibers: *Ingram, Eckberg, Williams* 587

Measurement
information regarding SI units: 850
of carpet static: *Chakravarti, Pontrelli* 129
of fiber fineness distribution: on instrument for rapid automatic measurement *Lynch, Michie* 653
The International System of Units (SI): *Stoner* 623
Mechanical Properties, Textile
compared with regard to catalytic activities: observed in cotton crosslinking with highly active catalysts *Meyer, Müller, Rouette, Zollinger* 691
of cotton: comparison of in crosslinking with DMEU and formaldehyde *Meyer, Müller, Zollinger* 813
Mercerization
liquid-ammonia and caustic mercerization of cotton fibers: changes in fine structure and mechanical properties *Rousselle, Nelson, Hassenboehler, Legendre* 304
with shrinkage: of never-dried cotton fibers *Williams, Sugg, Ingram* 434
Mercerized Cotton
reactivity and fine structure of: mercerized in NaOH and liquid ammonia *Rousselle, Nelson* 648
Mercerized Yarns
cotton: mechanical properties of, mercerized in liquid ammonia and NaOH *Nelson, Hassenboehler, Andrews, Markezich* . . 872
Microfibrils
from wool keratin: further studies on. Part I: isolation of microfibrils *Kulkarni* 833
Part II: chemical composition of globular and dissolved proteins isolated during separation of microfibrils from wool keratin *Kulkarni* 870
Microscopy
preparing cell-membrane network of wool fibers: a convenient method, together with a note on effect of ethanol on membranes in intact fiber *Makinson* 360
Migration
fiber helix and proferential radial: used to study blended yarn structures *Gupta, Kayaman* 904
Migration, Fiber
structural studies in continuous-filament yarns: Part II: studies in model circular yarns *Gupta* 8
Mineralogy
of airborne cotton dust: collected in card room *Hersh, Rochow, Tucker, Farwell* 743
Models
mechanical model of helical elements in textured yarns: *Konopasek* 278
Moisture
moisture-related properties: of cotton-polyester blend fabrics *Harper, Bruno, Blanchard, Gautreaux* 82
Moisture Distribution
uniformity of: in drying beds of loose fibers. Effect of air velocity and perforated plate insertion on rate of drying *Young, Nossar, Chaikin* 347
Moisture-Related Properties
of cotton-containing durable-press fabrics: effects of a poly(sodium acrylate) finish on *Cirino, Rowland* 272
Mositure Sorption
of α-keratin fibers: internal dynamic mechanical loss in *Danilatos, Feughelman* 845
Monofilaments
infrared spectra of: nondestructive methods described *Carlsson, Clark, Wiles* 318
twisted: elastic properties of *Zurek, Cisło, Kowalska* 389
Monosaccharides
implications of: in sticky cotton processing *Roberts, Koenig, Merrill, Cheung, Perkins* 374
Multicomponent Assemblies
frictional damping in: variation of loss coefficient with stress and strain amplitude derived *Skelton, Schoppee* . . . 661

Nonwovens
thermomechanical behavior of: Part I: responses to changes in processing and post-bonding variables *Shimalla, Whitwell* 405
Part II: a principal component analysis of responses to processing variables *Shimalla, Whitwell* 513
Nylon
fiber fracture: comparative study of *Goswami, Hearle* . . . 55
Nylon Fibers
anthraquinone dyes on: ozone fading of *Haylock, Rush* 1
Nylon 6
fiber structure in: related to dye diffusion *Sweet, Bell* . . 447

Oil Repellency
of finishes: use of ESCA in a study of *Soignet, Connick, Benerito* 611
Oligomeric Reagents
Michael-type reactions of: for flame retardancy of cotton *Rowland, Mason* 818
Open-End Yarns
structure and properties of: *Barella, Vigo* 73
twist structure of: *Lord, Grady* 123
Optical Measurement
of non-lint particles: in various grades of cotton *Lyons, Barker* 135
Oxygen Index
statistical study of: *Segal, Morris, Smith* 620
Ozone Fading
of anthraquinone dyes: on nylon fibers *Haylock, Rush* 1

PET (Polyethylene Terephthalate)
particulate contamination in filament yarn: detection and analysis of *Broughton* 155

PET Blends
fibers: property modifications in *Schreiber, Ross* 701
PET Filaments
plasma-etched: electron microscopical study of; also nylon 66 *Padhye, Bhat, Mittal* 502
PET Polyester and Cotton Blends
fiber analysis: using simply density method *Stanonis, King* . 246
PET Yarn
false-twist-textured: latent crimp in *Gupta, Natarajan* . . 417
PET Yarn
textured: effect of tension and twist on structure and dyeability of *Gupta, Amirtharaj* 785
Phosphonitrilic Chloride
dyes and pigments from: *Kakar* 848
Photodegradation
high-intensity xenon arc lamp: control of output discussed *Cooney, Wiles* 342
Photofading
of Rhodamine dyes: Part IV: effect of sulfoxides on photostability of Rhodamine dyes *Evans* 144
Photo-Oxidation
of polypropylene monofilaments: Part I: chemical changes and mechanical deterioration *Carlsson, Clark, Wiles* 590
Part II: physical changes and microstructure *Blais, Carlsson, Clark, Sturgeon, Wiles* 641
Photostability
of 2-pyrazoline fluorescent whitening agents: on rate of yellowing of whitening wool *Evans, Rivett, Waters* . . 214
Polyacrylonitrile
and PMA: effect of method of dissolution of graft copolymer of, on drawability and properties of spun fibers *El-Garf* . . 767
graft copolymers of and poly(methyl acrylate): for spinning of fibers *El-Garf* 77
Polyester
nature of azo dye light fading in: and physical state of the dye *Giles, de Bernat* 673
Polyester-Cotton Mixtures
flammability of: behavior differences of blends and their components *Miller, Martin, Meiser, Gargiullo* 530
Polyester Fibers
disperse and cationic dyes in: quantitative determination of by selective extraction *Kissa* 483
Polyester Yarns
dyeability of: after heat and solvent-induced structural modifications *Weigmann, Scott, Ribnick, Rebenfeld* 574
physical properties of textured: influence of texturing temperatures *Hardegree, Buchanan* 828
Polymers
properties of Hercosett + Primal resin mixtures: used in wool fiber coating technology *Beevers* 223
Polymers, External
theoretical analysis of effect of: on wrinkle recovery of fabrics *Chapman* 809
Polypropylene
photo-oxidation of monofilaments: Part I: chemical changes and mechanical deterioration *Carlsson, Clark, Wiles* 590
Part II: physical changes and microstrucutre *Blais, Carlsson, Clark, Sturgeon, Wiles* 641
Polypyrrolidone
thermal decomposition of: in the solid state *Kakar* . . . 776
Poly-Set Process
quality control reagent for: urea phosphoric acid as *Jung, Berni, Benerito* 26
Polythiols
used for shrinkproofing wool: *Brown, Rushforth, Shaw, Dohinson, Massy, Wilson, Winterbottom* 170
Process Mechanics
and yarn characteristics: study of fabricated stuffer-box crimper *Singh, Vohra* 164

Quality Control
reagent: urea phosphoric acid as quality control reagent for the poly-set process *Jung, Berni, Benerito* 26

Random Fiber Arrays
probabilistic assessment of irregularity in: effect of fiber length distribution on "variance-length curve" *Suh* . . 291
Rayon
high-performance, crimped fiber: *Muller, Barch, Daul* . . 184
Relative Humidity
rapidly-changing: cotton fiber tenacity and elongation in *Lawson, Ramey, Krowicki* 715
Relaxation Shrinkage
of worsted yarns: Part III: the dependence of relaxation shrinkage on processing factors *Smith, Baird* 104
Resin, Hercosett®
swelling of: measured in wide range of liquids *Beevers* . . . 636
Resins
properties of Hercosett + Primal resin mixtures: used in wool fiber coating technology *Beevers* 223
THPOH/amide: catalysts for *Frank* 139
Rhodamine Dyes
photofading of: Part IV: effect of sulfoxides on photostability of Rhodamine dyes *Evans* 144

Sephadex
some interactions of water-soluble solutes with cellulose and: *Rowland, Bertoniere* 770
Shear, Fabric
fundamentals of: *Skelton* 862
Shear Properties
of wool plain-knitted fabrics: *Hamilton, Postle* 265

Shrinkage
comparison of preshrinkage treatments: for crosslinked knitted cotton and cotton blends *Frick, Verburg* 227
on mercerization: of never-dried cotton fibers *Williams, Sugg, Ingram* 434
relaxation-shrinkage of worsted yarns: dependence of on processing factors *Smith, Baird* 104
Shrinkproofing
of wool: by means of polythiols *Brown, Rushforth, Shaw, Dohinson, Massy, Wilson, Winterbottom* 170
Shrink-Resist Polymers
on wool: effect of environment on adhesion of *Bateup, Cook, Feldtman, Fleischfresser* 796
SI Units
information regarding: 850
The International System: *Stoner* 623
Soil Release
and textile properties: of cotton/polyester-poly(methacrylic acid) copolymer fabrics *Mares, Arthur, Harris* 563
Solvent-Assisted Dyeing
an examination of the mechanism of: by surface-tension and monolayer measurements *Giles, McIver* 385
Sovent Finishing
of cotton and cotton-polyester blends: Part II: emulsions for durable-press treatments *Berni, Benerito, Pilkington* 54
Solvent-Nonsolvent Mixtures
use of: for purification of anionic dyes *Chavan* 435
Solvents, Nonaqueous
interactions of with textile fibers: Part VII: dyeability of polyester yarns after heat and solvent-induced structural modifications *Weigmann, Scott, Ribnick, Rebenfeld* 574
Spectrometry, X-Ray Fluorescence
for bromine determination: in wool fabric *Reuter, Secor, Friedman* 463
Spider Silks and Web Fibers
force-elongation behavior of: forcibly obtained from orb-web-spinning spiders *Work* 485
Spinning
and yarn properties: effeciency of cleaning device of new BD200 Rotor *Barella, Vigo* 140
of fibers: from graft copolymers of PAN and poly(methyl acrylate) *El Garf* 77
spinning qualities of jute: evaluation of efficacy of cationic surfactants in improving *Roy, Bhattacharya, Banerjee* . . 298
Spinning, Electrostatic
fundamentals of: Part II: mechanics of fiber transfer in electrostatic zone of spinning machine *Dagü* 676
Static Control
needs for carpets: extensive subjective tests *Geoghegan, Rivet, Malone* 367
Steam Sterilization
of flame-retardant all-cotton flannelette: results from hospital autoclave *Segal, Morris, Drake, Reeves* 74
Stress Analysis
of cylindrically-wound packages: the case of a warp beam *Batra, Lee, Backer* 453
Stress Relaxation
in bending: used in device for assessing wrinkle performance *Chapman* 525
wrinkle test: a shorter test described *Chapman* 697
Stuffer-Box Crimping
study of process mechanics and yarn characteristics: *Singh, Vohra* 164
Surfactants
role of concentration on aqueous stability of a monoazo disperse dye: *Knox, Weigmann* 250
cationic: evaluation of efficacy of in spinning jute *Roy, Bhattacharya, Banerjee* 298
Swelling
of cotton cellulose: in ethylenediamine solutions: infrared-deuteration study of *Lokhande, Daruwalla* 897
of Hercosett® resin: degree of swelling measured in wide range of liquids *Beevers* 636

Temperature Dependence
of rate of crosslinking: with formaldehyde and of the hydrolysis of cotton cellulose *Meyer, Müller, Zollinger* . . 880
Tenacity
and elongation of cotton fibers: in rapidly changing RH *Lawson, Ramey, Krowicki* 715
Texturing
effect of tension and twist: on structure and dyeability of PET yarn *Gupta, Amirtharaj* 785
temperatures: influence of on physical properties of textured polyester yarns *Hardegree, Buchanan* 828
thermoplastic yarns: mechanics of. Part I: experimental observations of steady-state texturing *Backer, Yang* 599
Part II: experimental observations of transient behavior *Backer, Yang* 724
Part III: experimental observations of torsional behavior of the texturing threadline for predrawn PET yarns *Brookstein, Backer* 802
Part IV: origin and significance of torsional behavior of false-twist threadline *Thwaites* 886
Thermal Decomposition
of polypyrrolidone: in the solid state *Kakar* 776
Thermogravimetric Analysis
of flame-retardant-treatment wools: *Beck, Gordon, Ingham* 478

Thermomechanical Behavior
of nonwovens: Part I: responses to changes in processing and post-bonding variables *Shimalla, Whitwell* 405
Part II: principal component analysis of responses to processing variables *Shimalla, Whitwell* 513
Thermoplastic Yarns
mechanics of texturing: Part I: experimental observations of steady-state texturing *Backer, Yang* 599
Part II: experimental observations of transient behavior *Backer, Yang* 724
Part III: experimental obsrevtaions of torsional behavior of the texturing threadline for predrawn PET yarns *Brookstein, Backer* 802
Part IV: origin and significance of torsional behavior of false-twist threadline *Thwaites* 886
Torsional Rigidity
of fibers: measurement of *Okabayashi, Yamazaki, Terada, Negishi* 429
Trash Content
of various grades of cotton: optical measurement of *Lyons, Barker* 135
Tuft Weight Distribution
in the opening room: studies on *Singh, Salhotra, Kambo* . . 567
Twist
correcting for: inserted in rope-form fabric *Miura, Hosokawa* 734
Twist Structure
of open-end yarns: *Lord, Grady* 123
Twisted Yarn
internal mechanics of: theoretical model and application *Neckář* 545
friction effects in: an approach to *White, Cheng, Duckett* 496

Urea Phosphoric Acid
as quality-control reagent: for the poly-set process *Jung, Berni, Benerito* 26

Warp Beam
on the stress analysis of cylindrically-wound packages: *Batra, Lee, Backer* 453
Weathering
high-intensity xenon arc lamp: control of output discussed *Cooney, Wiles* 342
Wettability
of wool fibers: *Bateup, Cook, Feldtman, Fleischfresser* . . . 720
Wetting
influence of fiber material and wetting medium on capillary forces: in wet fibrous assemblies *Skelton* 324
Whitening Agents
fluorescent: Part VIII: photochemical behavior of Coumarin Stilbene whiteners *Holt, Leaver, Millican* 539
2-pyrazoline fluorescent: effect of photostability on rate of yellowing of whitened wool *Evans, Rivett, Waters* 214
Winding
cylindrically-wound packages: stress analys's of *Batra, Lee, Backer* 453
Winding Point
movement of: on warp-wound yarn packages using tilted rings *Elbert* 752
Wool
dyed-stilbene fluorescent-brightened: effect of light on *Needles* 30
ESR in: effect of light at different wavelengths on *Smith* . . 510
flame-resisting: with halo-organic compounds *Thorsen* . . . 100
flame-retardant-treated: TGA of *Beck, Gordon, Ingham* . . 478
rapid dyeing and finishing of: in hot ethylene glycol *Pittman, Ward, Wasley* 921
shrinkproofing of: by means of polythiols *Brown, Rushforth, Shaw, Dobinson, Massy, Wilson, Winterbottom* 170
shrink-resist polymers on: effect of environment on adhesion of *Bateup, Cook, Feldtman, Fleischfresser* 796
thermally- and plasma-treated: some low-angle x-ray evidence on structural changes *Lee* 779
Wool, Chemically-Treated
for flame-resistance: with halo-organic compounds *Thorsen* 100
yellowing of whitened wool: effect of photostability of 2-pyrazoline fluorescent whitening agents on rate of *Evans, Rivett, Waters* 214
Wool-Cotton Blends
flame-resistant: and wool-cotton-polyester *Friedman, Thorsen* 70
Wool Fabric
bromine determination of: in method using x-ray fluorescence spectrometry *Reuter, Secor, Friedman* 463
plain-knitted: shear properties of *Hamilton, Postle* 265
Wool Fiber
coating technology: properties of Hercosett + Primal resin mixtures used in: *Beevers* 223
preparing cell-membrane network: convenient method for, and a note on effect of ethanol on membranes in intact fiber *Makinson* . . . . . 360 and 849
wettability of: *Bateup, Cook, Feldtman, Fleischfresser* . . . 720

Wool Keratin
microfibrils from: studies on isolation of *Kulkarni* 833
further studies on. Part II: chemical composition of globular and dissolved proteins *Kulkarni* 870
Wrinkle Performance
device for assessment of: in fabrics by stress relaxation in bending *Chapman* 525
Wrinkle Recovery
for blend fabrics: theoretical considerations of *Chapman* . . 711
of fabrics: theoretical analysis of effect of external polymers on *Chapman* 809
via **cellulose-glycidol vapor-phase reactions:** *Ward, Benerito* 915
Wrinkle Test
stress-relaxation: a shorter test described *Chapman* . . . 697
Wrinkle Test Results, ASTM
relation between and bending stress-relaxation: for durable-press cotton fabrics *Chapman* 919
Wrinkling
behavior of fabrics: influence of fiber properties on. Part VI: application of fiber-yarn-fabric analysis *Prevorsek, Lamb, Butler* 17
of fabrics: deformation during *Denby* 667

Xenon Arc Lamp
high-intensity: control of output from *Cooney, Wiles* . . 342
X-Ray Diffraction
low-angle: evidence on structural changes in thermally- and plasma-treated wool *Lee* 779

Yarn
PET filament: detection and analysis of particulate contamination in *Broughton* 155
warp-wound packages: movement of winding point on, using tilted rings *Elbert* 752
Yarn Characteristics
and process mechanics: study of using fabricated stuffer-box crimper *Singh, Vohra* 164
Yarn Properties
optimization of through cleaning of rotor: efficiency of cleaning device of new BD200 Rotor *Barella, Vigo* 149
Yarn Strength
relationship with fiber properties: in jute *Paul* 519
Yarn Structures
blended: modified approach to study of *Gupta, Kayaman* . . 904
Yarn Tenacity
translation of fiber bundle tenacity into: an attempt to quantify *Neelakantan, Subramanian* 822
Yarn, Twisted
internal mechanics of: theoretical model and application *Neckář* 545
Yarns, Continuous-Filament
structural studies in: Part II: studies in model circular yarns *Gupta* 8
Part III: studies with fiber friction as a variable *Gupta, Chang* 90
Yarns, Cotton
mechanical properties of: mercerized in liquid ammonia and NaOH *Nelson, Hassenboehler, Andrews, Markezich* 872
Yarns, Cotton/Polyester Blends
drafting force: how affected by distribution of fibers in drafting zone *Louis, Fiori* 322
Yarns, Open-End
structure and properties of: *Pillay* 73
twist structure of: *Lord, Grady* 123
Yarns, Polyester
physical properties: influence of texturing temperatures on *Hardegree, Buchanan* 828
Yarns, Thermoplastic
mechanics of texturing: Part I: experimental observations of steady-state texturing *Backer, Yang* 599
Part II: experimental observations of transient behavior *Backer, Yang* 724
Part III: experimental observations of torsional behavior of the texturing threadline for predrawn PET yarns *Brookstein, Backer* 802
Part IV: origin and significance of torsional behavior of false-twist threadline *Thwaites* 886
Yarns, Twist-Textured
mechanical model: of helical elements in *Konopasek* . . . 278
Yarns, Worsted
relaxation shrinkage of: dependence of on processing factors *Smith, Baird* 104
Yellowing
of whitened wool: effect of photostability of 2-pyrazoline fluorescent whitening agents on rate of *Evans, Rivett, Waters* 214